

# Hackney

1-800-763-0700



## PLUMBING - P/2000

### WHEN INVENTORY AND TIME IS IMPORTANT

When it comes to a plumbing service body, the P/2000 "Supertruck" is the flagship of the Hackney fleet.

#### CAN YOUR TRUCK HOLD THIS MUCH INVENTORY?

With the infinitely adjustable shelving and bin storage system, interior pipe and ladder racks, and pull-out ramp, the P/2000 is designed to meet and exceed the unique needs of service oriented plumbing contractors.

It's full width swing-out barn doors on the rear and lower 3 step recessed stepwell afford easy access to the P/2000's totally flexible interior possibilities.

#### OVERALL DIMENSIONS

**Width:** 84" (90" Optional)

**Length:** 12' 6" (14' & 16' Optional)

**Headroom:** 75"


**Aisle Width:** ~ 35"

**Height from Ground:** ~9' 4" diesel / ~9' 6" gas (loaded)



[www.hackneyservice.com](http://www.hackneyservice.com)

# PLUMBING - P/2000



Above: P/2000 Shelving and HD Plastic Storage Bins. Left: Pipe & Ladder Shelves and Translucent Roof. Drop Floor at rear for lower 3-step entry.

## STANDARD EQUIPMENT

### ROOF

Double wall with insulation, aluminum exterior / white panels interior

### FLOOR

Aluminum interlock planks – drop in rear for walk-in access

### SIDES & FRONT

Double wall, aluminum exterior / white panels interior

### REAR

Aluminum step type rear bumper with open safety grating

Aluminum diamond plate scuff panel above bumper

Mud flaps

### REAR DOORS

Full width double swing-out – 79" H x 73" W – double wall aluminum

HD deadbolt lock with deluxe handle & push cylinder

Spring rod door retainers to hold doors 90 degrees out

### INTERIOR SHELVES

All aluminum – 23" D, infinitely adjustable / removable, on vertical tracks

Open space at front 28" W for water heaters / sewer machine / storage

(2) Sections 36" W each side – 7 shelves high

(2) Sections 18" W each side – 7 shelves high

(1) Pipe rack shelf each side at top - 122" L x 23" D x 6" H

(1) Full length ladder shelf each side at ceiling with 1.5" lip at aisle

### INTERIOR LIGHTS

(3) Round clear overhead dome lights

with switch at rear & master over-ride in cab

### PAINT

One color white to match cab

### CHASSIS ALTERATION & MOUNTING

Drop frame behind rear axle for lower rear entrance, walk-in access



**Hackney**



[www.hackneyservice.com](http://www.hackneyservice.com)





## HVAC - AC/2000

### STANDARD EQUIPMENT

#### ROOF

Double wall with insulation, aluminum exterior / white panels interior

#### FLOOR

Aluminum interlock planks – drop in rear for walk-in access

#### SIDES & FRONT

Double wall, aluminum exterior / white panels interior

#### REAR

Aluminum step type rear bumper with open safety grating

Aluminum diamond plate scuff panel above bumper

Mud flaps

#### REAR DOORS

Full width double swing-out – 79" H x 73" W – double wall aluminum

HD deadbolt lock with deluxe handle & push cylinder

Spring rod door retainers to hold doors 90 degrees out

#### INTERIOR SHELVES

All aluminum – 18" D, infinitely adjustable / removable, on vertical tracks

23" W section front – 1 shelf DS + 2 shelves CS

34" W sections (2) middle – 5 shelves high each side (total 20)

18" W section – 1 shelf each side (add optional freon shelves)

23" W section rear – 1 shelf each side (add optional shelves)

Full length pipe and ladders shelves at top each side (4 total)

#### INTERIOR LIGHTS

(3) Round clear overhead dome lights with switch at rear & master over-ride in cab

#### PAINT

One color white to match cab

#### CHASSIS ALTERATION & MOUNTING

Drop frame behind rear axle for lower rear entrance, walk-in access

### OVERALL DIMENSIONS

Width: 84"

Length: 12' 6", 14', 16'  
(Ford E Series - 11' 6", 13' 6")


Headroom: 75"

Aisle Width: ~ 45"

Height from Ground: ~ 9' 4" diesel /  
~ 9' 6" gas (loaded)



# HVAC - AC/2000



## OPTIONAL EQUIPMENT

Extended Body Length – 14 ft. & 16ft.  
(16 ft. n/a with Sprinter or Cutaway)

90" Body Width (req. with some chassis)

(3) Fluorescent Dome Lights (in lieu of std. round)

LED Body Lights – markers, tail, brake, directional

Translucent Roof

(2) Salem Roof Vents

Back Up & Door Ajar Alarm

8" Eyeball Cross-view Back Up Mirror

Back Up Color Video Camera

D.O.T. Safety Kit – FE, reflectors, flashlight

Velvac Exterior Cab Mirrors – extended arm (for Chev. chassis only)

Hi-security Hockey Puck Lock for rear doors (in addition to standard)

Class III Receiver Hitch with wiring & drawbar

Class III Receiver Hitch w/o wiring & drawbar (Sprinter only)

Pull-out Ramp under floor – 9' 6" L x 24.5" inside W

Pipe Compartment under floor (in lieu of ramp)

Skirt Storage Compartments

Exterior Swing-out Pipe / Ladder Racks – skirt mounted

Exterior Locking Ladder Racks – skirt mounted

Freon Shelves for 18" Sections

Adjustable work bench across front – 23" D x 80" W

Additional Shelves – for 23" W, 34" W, or

18" W sections

Wire Spool Holder – 18" W with 3 bars – capacity 6-9 spools

Orbis / Lewis Plastic Storage Trays – 24 Tall + 24 Short (11" x 16.5" – 3.5" H & 6" H) – with dividers & label holders

HD Black Felt Shelf Liners

(2) Perforated Tool Hanging Panels – vertical end-face of shelves

Box of (24) Tool Hanging Brackets – rear doors

Pipe Vise Receiver and mounting plate – rear bumper

Timbren Load Stabilizers for rear axle (Sprinter chassis only)

Stainless Steel Wheel Covers

Custom Paint & Decal applications

## CHASSIS GUIDE

Low Cab Forward	Rating GVWR	Wheelbase
Isuzu NPR (Gas or Diesel)	12K lbs. to 14.5K lbs.	109" WB – 86.5" CA -12' 6" Body
		132.5" WB – 110" CA -14' Body
		150" WB – 127.5" CA -16' Body
CV Conventional Cab	Rating GVWR	Wheelbase
Ford F-450 / F-550 (Gas or Diesel)	16K lbs. to 19K lbs.	164.8 WB – 84" CA -12' 6" Body
		188.8 WB – 108" CA -14' Body
		200.8 WB – 120" CA -16' Body
Cutaway Cab	Rating GVWR	Wheelbase
Chev. or GMC "G" Model DRW (Gas or Diesel)	12K lbs. to 14.5K lbs.	139" WB – 12' 6" Body
		159" WB – 14' Body

\* Additional chassis models available. Visit [hackneyservice.com](http://hackneyservice.com) for more information.

## HACKNEY SERVICE VEHICLES

400 Hackney Avenue  
Washington, NC 27889  
1-800-763-0700  
1-252-946-6521  
Fax 1-252-975-8340

Hackney reserves the right to make changes on standard and optional equipment at any time without prior notice. All available options and standards are not listed. Since chassis specifications can change at any time, Hackney can not guarantee that these wheelbase body combinations will be compatible.

# Hackney

[www.hackneyservice.com](http://www.hackneyservice.com)



1-800-763-0700



# ELECTRICAL - ES/2000

## STANDARD EQUIPMENT

### ROOF

Double wall with insulation, aluminum exterior / white panels interior

### FLOOR

Aluminum interlock planks – drop in rear for walk-in access

### SIDES & FRONT

Double wall, aluminum exterior / white panels interior

### REAR

Aluminum step type bumper with open safety grating ~ 18" H

Aluminum diamond plate scuff panel above bumper

Cast aluminum recessed license plate holder with light

Mud flaps

### REAR DOORS

Full width double swing-out - 79" H x 73" W

Double wall aluminum

HD deadbolt lock LH & spring latch RH with deluxe handle & push cylinder

Spring rod door retainers to hold doors 90 degrees out

Left hand door opens first for more aisle spacing

### INTERIOR SHELVES

All aluminum, infinitely adjustable / removable, on vertical tracks

Curbside – 25" depth; Drivers side – 18" depth; Aisle width – 36" / 42"

### CURBSIDE LAYOUT

Ladder Storage – for 24' extension + 12', 8', 6', & 4' A frame (5 total)

Long Storage on floor – for pipe, conduit, ground rods, fluorescent tubes

Misc. Shelf Storage ~30 lineal ft. – for power tools, larger boxes

### DRIVERS SIDE LAYOUT

Wire Storage – Spool Rack for 8-12 rolls, Vertical Dividers on floor for 10 rolls wire / cable

Bin Storage – adjustable shelves for 66 plastic trays, various sizes

Misc. Shelf Storage - ~20 lineal ft.

Perforated Tool Panel – Matt Rack – Space for tool cabinet, tools, drop cords, safety equipment, supplies, quick access items

### INTERIOR LIGHTS

(3) Round clear overhead dome lights with switch at rear & master over-ride in cab

### PAINT

One color white to match cab

### CHASSIS ALTERATION & MOUNTING

Drop frame behind rear axle for lower rear entrance, walk-in access



## OVERALL DIMENSIONS

**Width:** 84" (90" on CV or Cutaway Chassis)

**Length:** 14' (15' on Sprinter)


**Headroom:** 75"

**Aisle Width:** ~ 36" (~ 42" on CV or Cutaway Chassis)

**Height from Ground:** ~9' 6" (loaded)



# ELECTRICAL - ES/2000



## OPTIONAL EQUIPMENT

90" Body Width (required with some chassis)

(3) Fluorescent Dome Lights (in lieu of std. round)  
LED Body Lights – markers, tail, brake, directional

Translucent Roof

(2) Salem Roof Vents

Back Up & Door Ajar Alarm

8" Eyeball Cross-view Back Up Mirror

Back Up Color Video Camera

D.O.T. Safety Kit – FE, reflectors, flashlight

Velvac Exterior Cab Mirrors – extended arm (for Chev. chassis only)

Hi-security Hockey Puck Lock for rear doors (in addition to standard)

Additional Shelves – for 34" W, 23" W, 12" W sections

HD Black Felt Shelf Liners

Set of (66) Orbis / Lewis Plastic Storage Trays, incl dividers & label holders:

- 8 – 3.5" H x 11" W x 16" L
- 47 – 5" H x 11" W x 16" L
- 4 – 8" H x 11" W x 16" L
- 7 – 8" H x 17" W x 22" L

Box of (24) Tool Hanging Brackets – for rear doors

Class III Receiver Hitch with wiring & drawbar

Class III Receiver Hitch w/o wiring & drawbar (Sprinter only)

Timbren Load Stabilizers for rear axle (for Sprinter chassis only)

Stainless Steel Wheel Covers

Custom Paint & Decal applications



## CHASSIS GUIDE

Low Cab Forward	Rating GVWR	Wheelbase
Isuzu NPR (Gas or Diesel)	12K to 14.5K lbs.	132.5" WB – 110" CA -14' Body
Mitsubishi Fuso (Diesel Only)	12K to 14.5K lbs.	133.9" WB – 104.9" CA -14' Body

CV Conventional Cab	Rating GVWR	Wheelbase
Ford F-450 (Gas or Diesel)	15K lbs.	188.8" WB – 108" CA -14' Body

Cutaway Cab	Rating GVWR	Wheelbase
Chev. or GMC "G" Model - DRW (Gas or Diesel)	12.3K lbs.	159" WB – 14' Body
Sprinter 3500C - DRW (Diesel)	11.03K lbs.	170" WB – 15' Body
Ford E-350 Series - DRW (Gas or Diesel)	12.5K lbs.	158" WB – 13' 6" Body

\* Additional chassis models available. Visit [hackneyservice.com](http://hackneyservice.com) for more information.

## HACKNEY SERVICE VEHICLES

911 West 5th Street  
Washington, NC 27889  
1-800-763-0700  
1-252-946-6521  
Fax 1-252-975-8340

Hackney reserves the right to make changes on standard and optional equipment at any time without prior notice. All available options and standards are not listed. Since chassis specifications can change at any time, Hackney can not guarantee that these wheelbase body combinations will be compatible.



[www.hackneyservice.com](http://www.hackneyservice.com)

0218